

MAXON[®]

Cantilever

Spare Parts Catalogue



**Cantilever
GPC 22 X1**


X1
TECHNOLOGY

Document no. S 20 907 225
Print date 01.10.2015
© Sörensen Hydraulik GmbH


Lifting mechanism left hand

Liftarm 29" 1/2


Liftarm 26" 9/16



Lifting machanism right hand




Lifting machanism




MAXON®

GPC 22 X1

Lifting Cylinder GPC 22 X1




Tilting Cylinder



MAXON®

GPC 22 X1


Valve Block



MAXON®

GPC 22 X1


S 20 906 868 Powerpack 12Volt



MAXON®

GPC 22 X1

S 22 000 027



S 20 904 600



S 20 907 615



S 20 907 616

S 20 908 476




 S 20 841 348



S 20 908 000
platform bearing
left + right

completely incl.*



S 22 908 673

S22 908 672

platform harness for series 10
S 20 909 579

S 20 908 909

Platform blank

high 59", wide 92",	S 42 010 120
high 59", wide 98",	S 42 010 213

S 22 905 565

option

S 20 905 254

S 20 908 470

S 22 902 126


S 60 710 316

S10 830 406

option

S20 909 470
with flashing light relais

Document no.: S 20 907 225
Series 10
Version 29.09.2015



MAXON®

GPC 22 X1

Document no.: S 20 907 225
Series 10, page 9
Version 01.10.2015

GPC 22 platform cable-set Series 10

LED-warning-flashing-light
S 20 909 471

cable-set with flash-light
and without food-control
S 20 909 578

cable-set without flash-light
and without food-control
S 20 909 579

to Control-Unit

sensor S2 switch

Foot-control
S 20 905 254

Foot-control and LED-warning-flashing-light
is not included in the cable-set/platform harness
S 20 909 579

LED-warning-flashing-light
S 20 909 470

Elektrical connection GPC X-1 and X-4 standard liftgate at series 11

Control-Unit with service switch Series 11
(in the powerpack) with plugs for harness

harness
Part.-No. S 20 911 365

option harness
Part.-No. S 20 911 494
for cabled remote

3-button cabled remote
Part.-No. S 20 911 191
2-button cabled remote
Part.-No. S 20 911 190

*4 plug connection
2 or 3 button cabled remote

harness
Part.-No. S 20 911 364

*3 connection plug
platform

*2 connection plug
MAXON control panel

MAXON control panel
Part.-No. S 20 912 464

*5 option harness
Part.-No. S 20 911 495
for radio control remote


cabin switch on / off
for liftgate
Part.-No. S 20 906 974

option:
control-LED
Part.-No. S 20 905 547

*1 ETMA- connection plug
liftgate on / off switch

MAXON®

platform set of cables at series 11, GPC X-1 and GPC X-4 standard




MAXON®

GPC X1 - X4 standard

Series 11
Stand 10.2020

GPC X-1 and GPC X-4 standard Control Unit series 11, Control Panel




S 20 906 974

Wire


S 20 906 975

MAXON
Control Panel
with Screws
incl. Holder
S 20 912 465



S 20 912 567

MAXON
Control Unit Series 11
with Service Switch



2 x Holder
S 20 908 307

4 x Screw
S 20 910 059

S 20 912 464


MAXON Control Panel
series 11

S 20 911 364 with out picture cable—set for Control Unit series 11


S 20 911 359 with out picture cable—set for Powerpack Series 11

Option Cabled remote


3-Button
cabled remote
S 20 911 191



2-Button
cabled remote
S 20 911 190




Holder
S 22 905 783



MAXON[®]

GPC X-1 and GPC X-4

Option Footcontrol



MAXON®

GPC 22 X1